



VIS-LRPOE24-2AN

24-Port PoE Switch with 2 Uplink Ports

Features

- 24 x 100Mbps PoE ports (RJ45) + 1 x 1000Mbps Gigaethernet ports +1 x 1000Mbps Combo ports
- Multiple working modes to address your business needs: Normal, Secure and Surveillance
- Support port traffic control
- Support for secure mode, all downlink ports can communicate only with uplink ports
- Up to 820 ft transmission distance on surveillance mode
- Support buffer optimization
- All metal housing, safe and reliable

Model	VIS-LRPOE24-2AN
Ports	24x100Mbps PoE ports (RJ45) + 1x1000Mbps Gigaethernet ports +1x1000Mbps Combo ports
Standards	IEEE802.3,IEEE802.3u,IEEE802.3z,IEEE802.3ab,IEEE802.3x, IEEE802.3af,IEEE802.3at,IEEE802.3az
Switching capacity	8.8Gbps
Forwarding performance	6.55Mpps
Packet Buffer	4Mbit
MAC	16K
Dimensions (WxDxH)	17.3 x 9.6 x 1.7 in (440* 244.8 *44mm)
Weight	6.5 lb (2.93KG)
Power supply	AC: 100-240V, 50/60Hz
PoE	802.3at/af (4/5+, 7/8-)
Max. PoE Power	Max capacity: 370W Max capacity for single port: 30W
Prior Ports	1 ~ 8
Cooling Fans	1
Operating temperature	32°F ~ 104°F (0°C-40°C)
Operating humidity	10% ~ 90% (noncondensing)
Storage humidity	5% ~ 90% (noncondensing)
Indicator	POWER: Steady on: AC input is normal Off: No AC input
	PoE: Off: No PoE power supply Steady on: PoE power supply is normal
	PoE-MAX: Off: The POE power supply power of the whole machine is less than 80% of the specification Steady on: The POE power supply power of the whole machine is greater than 85% of the specification
	LINK/ACT: Off: No link Steady on: Linked Flashing: Transmitting data
Working Mode	Default (Normal mode): All ports can communicate with each other VLAN (Secure mode): Downlink ports can communicate only with uplink ports. Enabling PD keepalive function, the switch will restart the IPC via PoE power when the IPC sends no message in a period of time. Extend(Surveillance mode): Transmission distance up to 250 meters. Downlink ports can communicate only with uplink ports.

Ordering Information

VIS-LRPOE24-2AN: 24-Port PoE Switch with 2 Uplink Ports