


VISION SERIES



ECO Series

Image	Model #	Lens	Res.	Built-In		Features	Mounts
				Mic	Spkr		
	VIS-P5TXIR28NH-LC3	2.8mm, Fixed	5MP	●	/	DWDR, IP67, Supplemental Light Options: IR, White Light, White Light Trigger from Human Body Detection	IVM-JB3 IVM-DRWM5
	VIS-P5TXIR28NH-LC3N	2.8mm, Fixed	5MP	●	/	D-WDR, IP67, IR (98ft), Human Body Detection	IVM-JB2, IVM-DRWM6
	VIS-P8TXIR28NH-LC3N	2.8mm, Fixed	8MP	●	/	True WDR 120dB, IP67, IR (98ft), Human Body Detection	

ECO + 2-WAY

	VIS-P4BXIR28NH-2WAY	2.8mm, Fixed	4MP	●	●	120dB WDR, IP67, IR & Warm LED, IR (98ft), Two Way Audio, Starlight Technology: 0.003 Lux (P8 0.005 Lux) min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB9
	VIS-P4TXIR28NH-2WAY						IVM-JB2, IVM-DRWM6
	VIS-P8TXIR28NH-2WAY		8MP	●	●		IVM-JB3 IVM-DRWM5

ECO+ Series (With UMD)

	VIS-P5BXIRA2812NH-LC	2.8-12mm, Motorized	5MP	●	/	120dB WDR, IP67, IR (164ft), Starlight Technology: 0.001 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB9
	VIS-P8BXIR28NH-LC	2.8mm, Fixed	8MP	●	/	120dB WDR, IP67, IR (164ft), Starlight Technology: 0.005 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB9
	VIS-P5DRXIR28NH-LC	2.8mm, Fixed	5MP	●	/	120dB WDR, IP67, IK10, IR (98ft), Starlight Technology: 0.003 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB2, IVM-DRWM6
	VIS-P5DRXIR4NH-LC	4.0mm, Fixed	5MP	●	/		IVM-JB2, IVM-DRWM6
	VIS-P5DRXIRA2812NH-LC	2.8-12mm, Motorized	5MP	●	/	120dB WDR, IP67, IK10, IR (131ft), Starlight Technology: 0.001 Lux min. illumination	IVM-JB3, IVM-DRWM5
	VIS-P8DRIR28NH-LC	2.8mm, Fixed	8MP	●	/	120dB WDR, IP67, IK10, IR (98ft), Starlight Technology: 0.005 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB2, IVM-DRWM6
	VIS-P8LIRA28NH	2.8mm, Fixed	8MP	●	/	120dB WDR, IP67, IK10, IR (98ft), Audio 1/1, Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB2, IVM-DRWM6
	VIS-P4TXIR28NH-LC	2.8mm, Fixed	4MP	●	/	120dB WDR, IP67, IR (98ft), Starlight Technology: 0.003 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB2, IVM-DRWM6
	VIS-P5TXIR28NH-LC	2.8mm, Fixed	5MP	●	/	120dB WDR, IP67, IR (98ft), Starlight Technology: 0.003 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB2, IVM-DRWM6
	VIS-P8TXIR28NH-LC2	2.8mm, Fixed	8MP	●	/	120dB WDR, IP67, IR (98ft), Starlight Technology: 0.005 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB2, IVM-DRWM6

AI Series

	VIS-P4BXIR28NH	2.8mm, Fixed	4MP	●	/	120dB WDR, IP67, IR (131ft), Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (intelligently classify human and vehicle based on VCA: including Cross Line detection, Intrusion detection, Enter/leave Area detection), Face capture, People Counting	IVM-JB5
	VIS-P5BXIR28NH VIS-P5BXIR4NH	2.8mm/4mm, Fixed	5MP	●	/		IVM-JB5
	VIS-P4BXIRA27135NH	2.7 ~ 13.5mm F1.2, Motorized	4MP	/	/	120dB WDR, IP67, IK10, IR (164ft), Alarm and Audio interface, Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB8
	VIS-P5BXIRA27135NH VIS-P5BXIRA27135NHB (Black Housing)	2.7 ~ 13.5mm F1.2, Motorized	5MP	/	/	120dB WDR, IP67, IK10, IR (164ft), Alarm & Audio interface, Starlight Technology: 0.002(5MP)/0.0025(8MP) Lux min. illumination, Focus on human & vehicle classification w/ motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB8
	VIS-P8BXIRA2812NH	2.8 ~ 12mm F1.6, Motorized	8MP	/	/		IVM-JB8
	VIS-P4DRXIR28NH	2.8mm, Fixed	4MP	/	/	120dB WDR, IP67, IK10, IR (98ft), Alarm and Audio interface, Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB2, IVM-DRWM6
	VIS-P4DRXIRA27135NH VIS-P4DRXIRA27135NHT (Tinted Bubble)	2.7 ~ 13.5mm F1.2, Motorized	4MP	●	/	120dB WDR, IP67, IK10, IR (131ft), Alarm & Audio interface, Starlight Tech: 0.002 Lux min. illum, Focus on human & vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB1A, IVM-DRWM1
	VIS-P5DRXIRA27135NH VIS-P5DRXIRA27135NHB (Black Housing)	2.7 ~ 13.5mm F1.2, Motorized	5MP	●	/	120dB WDR, IP67, IK10, IR (131ft), Alarm & Audio interface, Starlight Tech: 0.002 Lux min. illum, Focus on human & vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB1A, IVM-DRWM1
	VIS-P8DRXIRA2812NH VIS-P8DRXIRA2812NHB (Black Housing) *Tinted Dome Available	2.8 ~ 12mm F1.6, Motorized	8MP	●	/	120dB WDR, IP67, IK10, IR (131ft), Alarm and Audio interface, Starlight Technology: 0.0025 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting IR (131ft), Alarm and Audio interface, Starlight, UMD, SIP, Face capture, People Counting	IVM-JB1A, IVM-DRWM1
	VIS-P4LIRA28NH	2.8mm, Fixed	4MP	●	/	120dB WDR, IP67, IK10, IR (98ft), Audio interface, Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB2, IVM-DRWM6
	VIS-P4TXIR28NH2	2.8mm, Fixed	4MP	●	/	120dB WDR, IP67, IR (98ft), Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB2, IVM-DRWM6
	VIS-P5TXIR4NH	4mm, Fixed	5MP	●	/		IVM-JB2, IVM-DRWM6

AI Series (Continued)

Model #	Lens	Res.	Built-In		Features	Mounts
			Mic	Spkr		
VIS-P4TXIRA27135NH	2.7 ~ 13.5mm F1.2, Motorized	4MP	●	/	120dB WDR, IP67, IK10, IR (131ft), Starlight Technology: 0.001(4MP)/0.002(5MP)/0.003(8MP) Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB3, IVM-DRWM5
VIS-P5TXIRA27135NH2	2.7 ~ 13.5mm F1.2, Motorized	5MP	●	/		Included Back Box, IVM-DRWM8
VIS-P8TXIRA2812NH	2.8-12mm F1.6, Motorized	8MP	●	/		IVM-JB3, IVM-DRWM5
VIS-P8TXIR28NH-AI	2.8mm, Fixed	8MP	●	/	120dB WDR, IP67, IR (98ft), Starlight Technology: 0.0025 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB3, IVM-DRWM5

Active Deterrence (Two Way Audio)

VIS-P4BXIR28NH-AIWL	2.8mm, Fixed	4MP	●	●	120dB WDR, IP67, IR (98ft)+White Light (98ft) Starlight Tech: 0.002 Lux min. illumination, Focus on human and vehicle classification w/ motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, 2-way audio Active Deterrence	IVM-JB9
VIS-P8BXIR28NH-AIWL	2.8mm, Fixed	8MP	●	●		IVM-JB2, IVM-DRWM6
VIS-P4TXIR28NH-AIWL	2.8mm, Fixed	4MP	●	●		
VIS-P8TXIR28NH-AIWL	2.8mm, Fixed	8MP	●	●		
VIS-P5TXIR28NH-AIRBT	2.8mm, Fixed	5MP	●	●	130dB WDR, IP67, IR (98ft)+White Light (98ft) Starlight Technology: 0.001 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, Two way audio Active Deterrence, Support red & blue warning light	IVM-JB2, IVM-DRWM6
VIS-P8TXIR28NH-AIRBT	2.8mm, Fixed	8MP	●	●		
VIS-P5PTZXIR27135NH	2.7-13.5mm Motorized	5MP	●	●	120dB WDR, IP66, IR (164ft)+White Light, Starlight Technology: 0.005 Lux min illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, Two way audio Active Deterrence, Support red & blue warning light, Metal Bracket Housing	IVM-JB8
VIS-P8TXIR180NH-AIRBT	2.8mm, Fixed x2 Lenses	8MP	●	●	130dB WDR, IP67, IR (98ft)+White Light (98ft) Starlight Technology: 0.005 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, Two way audio Active Deterrence, Support red & blue warning light	IVM-JB3, IVM-DRWM5

Special Series

VIS-P4BXIRA65143NH	6.5-143mm, Motorized	4MP	/	/	Long range, 120 dB WDR, IP67, IK10, IR (492.1 ft), Alarm and Audio interface, Starlight Technology: 0.001 Lux min. illumination, Deep AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, License Plate Capture, Built-in heater	IVM-JB8
VIS-P5BXIR180NH-AI	1.68mm, Fixed	5MP	●	/	120dB WDR, IP67, IR (66ft), 180° wide view(built-in dewarping), Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB9
VIS-P8BXIR180NH-AI		8MP	●	/		
VIS-P4DUALDRIR28NH-AI	2.8mm, Fixed	4MP	2	/	130dB WDR, IP67, K10, IR (98ft), Alarm & Audio interface, Starlight Technology: 0.002 Lux min. illumination, Focus on human & vehicle classification w/ motion detection (UMD)-2 Ch, AI: Smart Intrusion Prevention (SIP)-2 Ch, Face capture, People Counting	IVM-JB11
VIS-P4LPR832NH-WL	8 to 32mm, Motorized	4MP	/	/	120dB WDR, IP67, IK10, White Light (164ft) Alarm & Audio interface, Built-in vehicle & license plate recognition algorithm recognize standard license plates Supports plate allowlist & block-list config, Supports vehicle access control when connected to a barrier.	IVM-JB8
VIS-P4MULTI160-WL	4.0mm, Fixed, F1.0	4MP	2	●	Dual lens, DWDR, IP67, White Light (98ft), 24/7 Color View, Alarm & Audio interface, Starlight Tech: 0.0005 Lux min. illumination, Human Body Detection, Two way audio	IVM-JB8
VIS-P8MULTI180-WL	4.0mm, Fixed, F1.0	8MP	2	●	Dual lens, 120dB WDR, IP67, White Light (98ft), 24/7 Color View, Alarm & Audio interface, Starlight Tech: 0.0005 Lux min. illum. 2-way audio, Focus on human & vehicle class with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), People Counting	IVM-JB8
VIS-P5PANNH	1.4mm, Fixed	5MP	2	/	120dB WDR, IP66, IK10, IR (33ft), Alarm and Audio interface, Heat Map	IVM-JB3, IVM-DRWM5
VIS-P12PANNH	1.8mm, Fixed	12MP	2	●	DWDR, IP67, IK10, IR (49ft), Alarm and Audio interface, Heat Map, Built-in Dewarping, Two way audio, AI: Smart Intrusion Prevention(SIP)	IVM-JBPAN, IVM-DRWM1
VIS-P4TXIR28NH-AIST	2.8mm, Fixed	4MP	●	/	Superior Starlight, Lux Rating 0.0005 lux, True AI Human and Vehicle Classification for Line Crossing and Intrusion Detection, IR Range up to 98', 120dB WDR, IP67	IVM-JB3, IVM-DRWM5
VIS-P5TXIR180NH-AI	1.68mm, Fixed	5MP	●	/	120dB WDR, IP67, IR (66ft), 180° wide view (built-in dewarping), Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB2, IVM-DRWM6
VIS-P8TXIR180NH-AI		8MP	●	/		IVM-JB2, IVM-DRWM6
VIS-P4TXIR26TH21NH VIS-P4TXIR6TH7NH	2.6mm, 6mm, Fixed	4MP	●	●	Thermal & Optical Bi-Spectrum, True AI w/ Smoke and Fire Detection, Starlight Illumination Optical Lens, SD Card Slot, 12vDC/PoE	IVM-JB3, IVM-DRWM5
VIS-P4BXIR6TH7NH VIS-P4BXIR8TH10NH	6mm, Fixed 8mm, Fixed	4MP	●	●	Superior Starlight, Lux Rating 0.0003 lux with Smart Illumination, 120dB WDR, IP67 Ultra Motion Detection (UMD)	IVM-JB8
VIS-P4DRXIR28LC-AIST	2.8mm, Fixed	4MP	●	/		IVM-JB3, IVM-DRWM5
VIS-P8DRXIR28LC-AIST VIS-P8DRXIR28BLC-AIST		8MP	●	/		
VIS-P4TXIR28LC-AIST VIS-P8TXIR28LC-AIST	2.8mm 2.8mm	4MP 8MP	●	/		IVM-JB10
VIS-P5BXIRA560NH-AI	5-60mm, Motorized	5MP	/	/	120dB WDR, IP67, IK10, IR (328ft), True AI Human and Vehicle Classification for Line Crossing and Intrusion Detection	Included Back Box
VIS-P8BXIRA2812NH-AIH	2.8-12mm, Motorized	8MP	●	/	120dB WDR, IP67, IK10, IR (262ft), True AI Human and Vehicle Classification for Line Crossing and Intrusion Detection, License Plate Capture	Back box Included, IVM-POLE1
VIS-P8DRIR28NH3	2.8mm, Fixed	8MP	●	/	130dB WDR, IP67, IK10, IR (131ft), True AI Human and Vehicle Classification for Line Crossing and Intrusion Detection	IVM-JB2, IVM-DRWM6
VIS-P8DRXIR28BLC-AIST	2.8mm, Fixed	8MP	●	/	Superior Starlight, Lux Rating 0.0003 lux, First Level Human and Vehicle Classification, White light up to 98', 120dB WDR, IP67, K10	IVM-JB3B, IVM-PM2B
VIS-P8PTZ40XIRNH-AI	5.7-228mm, Motorized	8MP	/	/	DWDR, IP66, IR (820ft), True AI Human & Vehicle Classification for Line Crossing, Intrusion Detection, & Other AI Features	IVM-JB6, IVM-PTZWALL2
VIS-P8TXIR28NH-AIST	2.8mm, Fixed	8MP	●	/	Superior Starlight, 130dB WDR, IP67, IK10, White Light (98ft), True AI Human & Vehicle Classification for LineCrossing, Intrusion Detection, & Other AI Features	IVM-JB3, IVM-DRWM5
VIS-P8TIRA2812NH-AIRBT	2.8-12mm, Motorized	8MP	●	●	Superior Starlight, 130dB WDR, IP67, IK10, IR & White Light (98ft)	IVM-DRWM5
VIS-P5DRXIR28NH-HDMI	2.8mm	5MP	●	/	130dB WDR, Indoor, IR (131ft), HDMI Output Type A, AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB3, IVM-DRWM5
VIS-P20MULTI27135NH-AI	2.7-13.5mm Pan/Tilt	20MP	2	/	4 x 5 MP Motorized Lenses, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB6, IVM-PTZ-WALL1/2

Explosion Proof

Model #	Lens	Res.	Built-In		Features	Mounts
			Mic	Spkr		
VIS-P4EBXIRA2812	2.8-12mm, Motorized	4MP	/	/	Explosion-Proof, IR (164ft), IP68	IVM-EDRWM1
VIS-P5EBXIR4	4mm, Fixed	5MP	/	/	Explosion-Proof, IP68, stainless steel	IVM-EDRWM2
VIS-P5EPTX33XPOE	4.5 ~ 148.5mm, Motorized	5MP	/	/	Explosion-Proof, IP68, stainless steel	IVM-EPTZWALL1

PTZ

Model #	Lens	Res.	Built-In		Audio	Alarm I/O	Features	Mounts
			Mic	Spkr				
VIS-P5DIPTZXIR27135NH	5X	5MP	●	●	/	1/1	120dB WDR, WIFI, IR (98ft), Two way audio, Starlight Technology: 0.003 Lux min. illumination, AI: Smart Intrusion Prevention (SIP)	IVM-JB3, IVM-DRWM5
VIS-P5PTZXIR2812NH	4X	5MP	●	●	/	/	120dB WDR, IP66, IR (164ft), Active deterrence, Two way audio, Auto-tracking(Human only), Starlight Technology: 0.003 Lux min. illumination, AI: Smart Intrusion Prevention (SIP)	IVM-JB8
VIS-P4PTZ25XIRNH-AI	25X	4MP	/	/	1/1	2/1	120dB WDR, IP67, IK10, IR (328ft), Auto-tracking, Starlight Technology: 0.003 Lux min. illumination, AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB6, IVM-PTZWALL1, IVM-PTZWALL2
VIS-P4PTZ25DUALNH-AIWLT	25X	4MP	/	●	1/1	2/1	Dual lens, 120dB WDR, IP66, PTZ IR (328ft), Warm Light(99ft), Auto-tracking(PTZ), Starlight Technology: 0.0005(Fixed lens)/0.003(PTZ) Lux min. illumination, AI: Smart Intrusion Prevention(SIP), Face capture, People Counting	IVM-JB6, IVM-PTZWALL1, IVM-PTZWALL2
VIS-P2PTZXIR33NH	33X	2MP	/	/	1/1	2/1	120dB WDR, IP66, IR (492ft), Auto-tracking, Starlight Technology: 0.001 Lux min. illumination, AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB6, IVM-PTZWALL1, IVM-PTZWALL2
VIS-P4PTZ33XNH-AI	33X	4MP	/	/	1/1	7/2	120dB WDR, IP67, IK10, IR (492ft), Auto-tracking, Starlight Technology: 0.003 Lux min. illumination, AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-PTZWALL1
VIS-P8PTZXIR25XNH-AI	25X	8MP	/	/	1/1	2/1	120dB WDR, IP66, IR (656ft), Auto-tracking, Starlight Technology: 0.003 Lux min. illumination, AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB6, IVM-PTZWALL1, IVM-PTZWALL2
VIS-P4DRPTZ16XIRNH-AI	16X	4MP	/	/	1/1	2/1	120dB WDR, IP66, IK10, Starlight, Auto-tracking, True AI, IR (328ft), SD Card Slot, DC12V/PoE	IVM-JB1A, IVM-DRWM1

NVRs

Model #	HDD	Video Input	PoE	Audio In/Out	Alarm In/Out	Incoming Bandwidth	Res	Features
VN3A-32X16	4 HDD	32 CH	16 CH	1/1	16/4	320 Mbps	12MP	Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP), HDMI and VGA simultaneous output
VN3A-64	16 HDD	64 CH	N/A	1/1	24/8	512Mbps		Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP), LPR, RAID, Fisheye dewarping HDMI1, HDMI2, VGA asynchronous output (HDMI audio output not supported)
VN3A-128	16 HDD	128 CH	N/A	1/1	24/8			Large System NVR Up To 3,000 Cameras, (4) NIC Cards The VN3A-UNI is a smart integrated surveillance platform with video input, storage, transfer and device management functions designed specifically for digital surveillance applications. The VN3A-UNI has adopted audio/video compression and decompression, embedded system, storage, network, and smart technologies
VN3A-UNI2	16 HDD	3000 Cams	N/A	1/1	24/8	80Mbps	4K	Focus on human & vehicle classification w/ motion detection (UMD), Smart Intrusion Prevention (SIP), HDMI & VGA simultaneous output, AccuSearch, Face/Vehicle/Temperature Detection & Video MetaData (SIP by color retrieval), LPR, Fisheye Dewarping
VN4A-4X4	1 HDD	4 CH	4 CH	1/1	N/A	320/160 Mbps	16MP	Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP), RAID, HDMI and VGA independent output, AccuSearch, Face/Vehicle/Temperature Detection & Video MetaData (SIP by color retrieval), LPR, Fisheye Dewarping
VN4A-8X8	2 HDD	8 CH	8 CH	1/1	8/2	(Smart Mode On/Off)	16MP	Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP), RAID (0, 1, 5), HDMI1/VGA1 & HDMI2/VGA2 independent output, AccuSearch, Face/Vehicle/Temperature Detection & Video MetaData (SIP by color retrieval), LPR, Fisheye Dewarping
VN4A-16X16	2 HDD	16 CH	16 CH	1/1	8/2		16MP	
VN4A-32	4 HDD	32 CH	N/A	1/1	16/4	384/200 Mbps (Smart Mode On/Off)	32MP	Focus on human & vehicle classification w/ motion detection (UMD), Smart Intrusion Prevention (SIP), RAID (0, 1, 5), HDMI1/VGA1 & HDMI2/VGA2 independent output, AccuSearch, Face/Vehicle/Temperature Detection & Video MetaData (SIP by color retrieval), LPR, Fisheye Dewarping, Supports AI text search
VN4A-32X	4 HDD	32 CH	N/A	1/2	16/10		32MP	
VN4A-32X24	4 HDD	32 CH	24 CH	1/2	16/10		32MP	
VN4A-64X24	4 HDD	64 CH	24 CH	1/2	16/10	192Mbps	4K	
VN5A-32	2 HDD	32 CH	N/A	1/1	16/4	80Mbps	4K	
VN5A-8X8	1 HDD	8 CH	8 CH	1/1	4/1			

Decoders

Model #	Max Total CH	Channels Per HDMI
VIS-HDMI4A*	64	16
VIS-HDMI7A*	112	16

*Use with VN3A-64 & VN3A128 Only

ABOUT INVID TECH

Innovative Video Technology (InVid Tech) provides forward-thinking security solutions designed to deliver clarity, intelligence, and control. Our IP surveillance systems combine high-performance hardware with AI-powered analytics—such as human and vehicle classification, facial recognition, and license plate capture—to help users respond faster and smarter. InVid Tech also offers scalable solutions including cloud storage, access control integrations, solar-powered surveillance, lockers, and turnstiles. With a dedicated U.S.-based support team and a nationwide sales presence, we deliver hands-on expertise from deployment through long-term operation.