


# VISION SERIES



|                        |    | Model #                                                                             | Lens                         | Res. | Built-In |      | Features                                                                                                                                                                                                                                                                                                                                                     | Mounts                          |
|------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------|------|----------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|
|                        |                                                                                     |                                                                                     |                              |      | Mic      | Spkr |                                                                                                                                                                                                                                                                                                                                                              |                                 |
| ECO Series             |    | VIS-P5TXIR28NH-LC3                                                                  | 2.8mm, Fixed                 | 5MP  | ●        | /    | DWDR, IP67, Supplemental Light Options: IR, White Light, White Light Trigger from Human Body Detection                                                                                                                                                                                                                                                       | IVM-JB3<br>IVM-DRWM5            |
|                        |    | VIS-P5TXIR28NH-LC3N<br>VIS-P5TXIR28BNH-LC3N                                         | 2.8mm, Fixed                 | 5MP  | ●        | /    | D-WDR, IP67, IR (98ft), Human Body Detection                                                                                                                                                                                                                                                                                                                 | IVM-JB2,<br>IVM-DRWM6           |
|                        |    | VIS-P8TXIR28NH-LC3N                                                                 | 2.8mm, Fixed                 | 8MP  | ●        | /    | True WDR 120dB, IP67, IR (98ft), Human Body Detection                                                                                                                                                                                                                                                                                                        |                                 |
| ECO + 2-WAY            |    | VIS-P4BXIR28NH-2WAY                                                                 | 2.8mm, Fixed                 | 4MP  | ●        | ●    | 120dB WDR, IP67, IR & Warm LED, IR (98ft), Two Way Audio, Starlight Technology: 0.003 Lux (P8 0.005 Lux) min. illumination, Focus on human and vehicle classification with motion detection (UMD)                                                                                                                                                            | IVM-JB9                         |
|                        |    | VIS-P4TXIR28NH-2WAY                                                                 |                              |      |          |      |                                                                                                                                                                                                                                                                                                                                                              | IVM-JB2,<br>IVM-DRWM6           |
|                        |    | VIS-P8TXIR28NH-2WAY                                                                 |                              | 8MP  | ●        | ●    |                                                                                                                                                                                                                                                                                                                                                              | IVM-JB3<br>IVM-DRWM5            |
| ECO+ Series (With UMD) |    | VIS-P5BXIRA2812NH-LC                                                                | 2.8-12mm, Motorized          | 5MP  | ●        | /    | 120dB WDR, IP67, IR (164ft), Starlight Technology: 0.001 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)                                                                                                                                                                                                        | IVM-JB9                         |
|                        |    | VIS-P8BXIR28NH-LC                                                                   | 2.8mm, Fixed                 | 8MP  | ●        | /    | 120dB WDR, IP67, IR (164ft), Starlight Technology: 0.005 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)                                                                                                                                                                                                        | IVM-JB9                         |
|                        |    | VIS-P5DRXIR28NH-LC                                                                  | 2.8mm, Fixed                 | 5MP  | ●        | /    | 120dB WDR, IP67, IK10, IR (98ft), Starlight Technology: 0.003 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)                                                                                                                                                                                                   | IVM-JB2,<br>IVM-DRWM6           |
|                        |                                                                                     | VIS-P5DRXIR4NH-LC                                                                   | 4.0mm, Fixed                 | 5MP  | ●        | /    |                                                                                                                                                                                                                                                                                                                                                              | IVM-JB2,<br>IVM-DRWM6           |
|                        |    | VIS-P5DRXIRA2812NH-LC                                                               | 2.8-12mm, Motorized          | 5MP  | ●        | /    | 120dB WDR, IP67, IK10, IR (131ft), Starlight Technology: 0.001 Lux min. illumination                                                                                                                                                                                                                                                                         | IVM-JB3,<br>IVM-DRWM5           |
|                        |    | VIS-P8DRIR28NH-LC                                                                   | 2.8mm, Fixed                 | 8MP  | ●        | /    | 120dB WDR, IP67, IK10, IR (98ft), Starlight Technology: 0.005 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)                                                                                                                                                                                                   | IVM-JB2,<br>IVM-DRWM6           |
|                        |    | VIS-P8LIRA28NH                                                                      | 2.8mm, Fixed                 | 8MP  | ●        | /    | 120dB WDR, IP67, IK10, IR (98ft), Audio 1/1, Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)                                                                                                                                                                                        | IVM-JB2,<br>IVM-DRWM6           |
|                        |    | VIS-P4TXIR28NH-LC                                                                   | 2.8mm, Fixed                 | 4MP  | ●        | /    | 120dB WDR, IP67, IR (98ft), Starlight Technology: 0.003 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)                                                                                                                                                                                                         | IVM-JB2,<br>IVM-DRWM6           |
|                        |   | VIS-P5TXIR28NH-LC                                                                   | 2.8mm, Fixed                 | 5MP  | ●        | /    | 120dB WDR, IP67, IR (98ft), Starlight Technology: 0.003 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)                                                                                                                                                                                                         | IVM-JB2,<br>IVM-DRWM6           |
|                        |  | VIS-P5TXIR4NH-LC                                                                    | 4.0mm, Fixed                 | 5MP  | ●        | /    | 120dB WDR, IP67, IR (98ft), Smart Analytics-AI Human Body Detection                                                                                                                                                                                                                                                                                          | IVM-JB2,<br>IVM-DRWM6           |
|                        |  | VIS-P8TXIR28NH-LC2                                                                  | 2.8mm, Fixed                 | 8MP  | ●        | /    | 120dB WDR, IP67, IR (98ft), Starlight Technology: 0.005 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)                                                                                                                                                                                                         | IVM-JB2,<br>IVM-DRWM6           |
| AI Series              |  | VIS-P4BXIR28NH                                                                      | 2.8mm, Fixed                 | 4MP  | ●        | /    | 120dB WDR, IP67, IR (131ft), Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (intelligently classify human and vehicle based on VCA: including Cross Line detection, Intrusion detection, Enter/leave Area detection), Face capture, People Counting | IVM-JB5                         |
|                        |  | VIS-P5BXIR28NH<br>VIS-P5BXIR4NH                                                     | 2.8mm/4mm, Fixed             | 5MP  | ●        | /    |                                                                                                                                                                                                                                                                                                                                                              | IVM-JB5                         |
|                        |  | VIS-P4BXIRA27135NH                                                                  | 2.7 ~ 13.5mm F1.2, Motorized | 4MP  | /        | /    | 120dB WDR, IP67, IK10, IR (164ft), Alarm and Audio interface, Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting                                                                                                   | IVM-JB8                         |
|                        |  | VIS-P5BXIRA27135NH<br>VIS-P5BXIRA27135NHB (Black Housing)                           | 2.7 ~ 13.5mm F1.2, Motorized | 5MP  | /        | /    | 120dB WDR, IP67, IK10, IR (164ft), Alarm & Audio interface, Starlight Technology: 0.002(5MP)/0.0025(8MP) Lux min. illumination, Focus on human & vehicle classification w/ motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting                                                                                        | IVM-JB8                         |
|                        |  | VIS-P8BXIRA2812NH                                                                   | 2.8~12mm F1.6, Motorized     | 8MP  | /        | /    |                                                                                                                                                                                                                                                                                                                                                              | IVM-JB8                         |
|                        |  | VIS-P4DRXIR28NH                                                                     | 2.8mm, Fixed                 | 4MP  | /        | /    | 120dB WDR, IP67, IK10, IR (98ft), Alarm and Audio interface, Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting                                                                                                    | IVM-JB2,<br>IVM-DRWM6           |
|                        |  | VIS-P4DRXIRA27135NH<br>VIS-P4DRXIRA27135NHT (Tinted Bubble)                         | 2.7 ~ 13.5mm F1.2, Motorized | 4MP  | ●        | /    | 120dB WDR, IP67, IK10, IR (131ft), Alarm & Audio interface, Starlight Tech: 0.002 Lux min. illum, Focus on human & vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting                                                                                                                    | IVM-JB1A,<br>IVM-DRWM1          |
|                        |  | VIS-P5DRXIRA27135NH<br>VIS-P5DRXIRA27135NHB (Black Housing)                         | 2.7 ~ 13.5mm F1.2, Motorized | 5MP  | ●        | /    | 120dB WDR, IP67, IK10, IR (131ft), Alarm & Audio interface, Starlight Tech: 0.002 Lux min. illum, Focus on human & vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting                                                                                                                    | IVM-JB1A,<br>IVM-DRWM1          |
|                        |  | VIS-P8DRXIRA2812NH<br>VIS-P8DRXIRA2812NHB (Black Housing)<br>*Tinted Dome Available | 2.8~12mm F1.6, Motorized     | 8MP  | ●        | /    | 120dB WDR, IP67, IK10, IR (131ft), Alarm and Audio interface, Starlight Technology: 0.0025 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting IR (131ft), Alarm and Audio interface, Starlight, UMD, SIP, Face capture, People Counting        | IVM-JB1A,<br>IVM-DRWM1          |
|                        |  | VIS-P4TXIR28NH2                                                                     | 2.8mm, Fixed                 | 4MP  | ●        | /    | 120dB WDR, IP67, IR (98ft), Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting                                                                                                                                     | IVM-JB2,<br>IVM-DRWM6           |
|                        |  | VIS-P5TXIR4NH                                                                       | 4mm, Fixed                   | 5MP  | ●        | /    |                                                                                                                                                                                                                                                                                                                                                              | IVM-JB2,<br>IVM-DRWM6           |
|                        |  | VIS-P4TXIRA27135NH                                                                  | 2.7 ~ 13.5mm F1.2, Motorized | 4MP  | ●        | /    | 120dB WDR, IP67, IK10, IR (131ft), Starlight Technology: 0.001(4MP)/0.002(5MP)/0.003(8MP) Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting                                                                                                   | IVM-JB3,<br>IVM-DRWM5           |
|                        |  | VIS-P5TXIRA27135NH2                                                                 | 2.7 ~ 13.5mm F1.2, Motorized | 5MP  | ●        | /    |                                                                                                                                                                                                                                                                                                                                                              | Included Back Box,<br>IVM-DRWM8 |
|                        |                                                                                     | VIS-P8TXIRA2812NH                                                                   | 2.8-12mm F1.6, Motorized     | 8MP  | ●        | /    |                                                                                                                                                                                                                                                                                                                                                              | IVM-JB3,<br>IVM-DRWM5           |

## Active Deterrence with Two Way Audio

|                                                                                   | Model #                 | Lens                      | Res. | Built-In |      | Features                                                                                                                                                                                                                                                                                                                        | Mounts                |
|-----------------------------------------------------------------------------------|-------------------------|---------------------------|------|----------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
|                                                                                   |                         |                           |      | Mic      | Spkr |                                                                                                                                                                                                                                                                                                                                 |                       |
|  | VIS-P4BXIR28NH-AIWL     | 2.8mm, Fixed              | 4MP  | ●        | ●    | 120dB WDR, IP67, IR (98ft)+White Light (98ft) Starlight Tech: 0.002 Lux min. illumination, Focus on human and vehicle classification w/ motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, 2-way audio Active Deterrence                                                               | IVM-JB9               |
|                                                                                   | VIS-P8BXIR28NH-AIWL     | 2.8mm, Fixed              | 8MP  | ●        | ●    |                                                                                                                                                                                                                                                                                                                                 |                       |
|                                                                                   | VIS-P4TXIR28NH-AIWL     | 2.8mm, Fixed              | 4MP  | ●        | ●    |                                                                                                                                                                                                                                                                                                                                 | IVM-JB2,<br>IVM-DRWM6 |
|                                                                                   | VIS-P8TXIR28NH-AIWL     | 2.8mm, Fixed              | 8MP  | ●        | ●    | Low Profile, IP67, IK10, Supplemental Light Options: IR, White Light or IR to White Light, Starlight Illumination, 2-way audio Active Deterrence                                                                                                                                                                                | IVM-JB2<br>IVM-DRWM6  |
|                                                                                   | VIS-P4LIR28NH-AIWL      | 2.8mm, Fixed              | 4MP  | ●        | ●    |                                                                                                                                                                                                                                                                                                                                 | IVM-JB2<br>IVM-DRWM6  |
|                                                                                   | VIS-P8LIR28NH-AIWL      | 2.8mm, Fixed              | 8MP  | ●        | ●    |                                                                                                                                                                                                                                                                                                                                 | IVM-JB2,<br>IVM-DRWM6 |
|                                                                                   | VIS-P5TXIR28NH-AIRBT    | 2.8mm, Fixed              | 5MP  | ●        | ●    | 130dB WDR, IP67, IR (98ft)+White Light (98ft) Starlight Technology: 0.001 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, Two way audio Active Deterrence, Support red & blue warning light                   | IVM-JB3,<br>IVM-DRWM5 |
|                                                                                   | VIS-P8TXIR180NH-AIRBT   | 2.8mm, Fixed<br>x2 Lenses | 8MP  | ●        | ●    | 130dB WDR, IP67, IR (98ft)+White Light (98ft) Starlight Technology: 0.001 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, Two way audio Active Deterrence, Support red & blue warning light                   | IVM-JB3,<br>IVM-DRWM5 |
|  | VIS-P8TXIR28NH-AIRBT    | 2.8mm, Fixed              | 8MP  | ●        | ●    | 130dB WDR, IP67, IR (98ft)+White Light (98ft) Starlight Technology: 0.001 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, Two way audio Active Deterrence, Support red & blue warning light                   | IVM-JB3,<br>IVM-DRWM5 |
|                                                                                   | VIS-P8TXIR28BNH-AIRBT   | 2.8mm, Fixed              | 8MP  | ●        | ●    | 130dB WDR, IP67, IR (98ft)+White Light (98ft) Starlight Technology: 0.001 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, Two way audio Active Deterrence, Support red & blue warning light                   | IVM-JB3,<br>IVM-DRWM5 |
|                                                                                   | VIS-P8TIRA2812NH-AIRBT  | 2.8-12mm,<br>Motorized    | 8MP  | ●        | ●    | 130dB WDR, IP67, IR (98ft)+White Light (98ft) Starlight Technology: 0.005 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, Two way audio Active Deterrence, Support red & blue warning light, Dacromet coating | IVM-JB3,<br>IVM-DRWM5 |
|                                                                                   | VIS-P8DRXIRA2812NH-AIWL | 2.8-12mm,<br>Motorized    | 8MP  | ●        | /    | Supplemental Light Options: IR, White Light or IR to White Light, Starlight Illumination, IP67, IK10, Cloud Upgradeable                                                                                                                                                                                                         | IVM-DRWM1<br>IVM-JB1A |
|  | VIS-P8TXIRA2812NH-AIWL  | 2.8-12mm,<br>Motorized    | 8MP  | ●        | /    |                                                                                                                                                                                                                                                                                                                                 | IVM-JB3<br>IVM-DRWM5  |
|                                                                                   | VIS-P8BXIRA2812NH-AIWL  | 2.8-12mm,<br>Motorized    | 8MP  | ●        | /    |                                                                                                                                                                                                                                                                                                                                 | IVM-JB8               |

## Active Deterrence

|                                                                                     | Model #                                | Lens                     | Res. | Built-In |      | Features                                                                                                                                                                                                                                                               | Mounts                          |
|-------------------------------------------------------------------------------------|----------------------------------------|--------------------------|------|----------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|
|                                                                                     |                                        |                          |      | Mic      | Spkr |                                                                                                                                                                                                                                                                        |                                 |
|    | VIS-P4BXIRA65143NH                     | 6.5-143mm,<br>Motorized  | 4MP  | /        | /    | Long range, 120 dB WDR, IP67, IK10, IR (492.1 ft), Alarm and Audio interface, Starlight Technology: 0.001 Lux min. illumination, Deep AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, License Plate Capture, Built-in heater                      | IVM-JB8                         |
|                                                                                     | VIS-P5BXIR180NH-AI                     | 1.68mm, Fixed            | 5MP  | ●        | /    | 120dB WDR, IP67, IR (66ft), 180° wide view(built-in dewarping), Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting                                                              | IVM-JB9                         |
|    | VIS-P8BXIR180NH-AI                     | 1.68mm, Fixed            | 8MP  | ●        | /    |                                                                                                                                                                                                                                                                        | IVM-JB11                        |
|                                                                                     | VIS-P4DUALDRIR28NH-AI                  | 2.8mm, Fixed             | 4MP  | 2        | /    | 130dB WDR, IP67, K10, IR (98ft), Alarm & Audio interface, Starlight Technology: 0.002 Lux min. illumination, Focus on human & vehicle classification w/ motion detection (UMD)-2 Ch, AI: Smart Intrusion Prevention (SIP)-2 Ch, Face capture, People Counting          | IVM-JB8                         |
|   | VIS-P4LPR832NH-WL                      | 8 to 32mm,<br>Motorized  | 4MP  | /        | /    | 120dB WDR, IP67, IK10, White Light (164ft) Alarm & Audio interface, Built-in vehicle & license plate recognition algorithm recognize standard license plates Supports plate allowlist & blocklist config, Supports vehicle access control when connected to a barrier. | IVM-JB8                         |
|                                                                                     | VIS-P4MULTI160-WL                      | 4.0mm, Fixed,<br>F1.0    | 4MP  | 2        | ●    | Dual lens, DWDR, IP67, White Light (98ft), 24/7 Color View, Alarm & Audio interface, Starlight Tech: 0.0005 Lux min. illumination, Human Body Detection, Two way audio                                                                                                 | IVM-JB8                         |
|  | VIS-P8MULTI180-WL                      | 4.0mm, Fixed,<br>F1.0    | 8MP  | 2        | ●    | Dual lens, 120dB WDR, IP67, White Light (98ft), 24/7 Color View, Alarm & Audio interface, Starlight Tech: 0.0005 Lux min. illum, 2-way audio, Focus on human & vehicle class with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), People Counting         | IVM-JB3,<br>IVM-DRWM5           |
|                                                                                     | VIS-P5PANNH                            | 1.4mm, Fixed             | 5MP  | 2        | /    | 120dB WDR, IP66, IK10, IR (33ft), Alarm and Audio interface, Heat Map                                                                                                                                                                                                  | IVM-JBPAN,<br>IVM-DRWM1         |
|  | VIS-P12PANNH                           | 1.8mm, Fixed             | 12MP | 2        | ●    | DWDR, IP67, IK10, IR (49ft), Alarm and Audio interface, Heat Map, Built-in Dewarping, Two way audio, AI: Smart Intrusion Prevention(SIP)                                                                                                                               | IVM-JB3,<br>IVM-DRWM5           |
|                                                                                     | VIS-P4TXIR28NH-AIST                    | 2.8mm, Fixed             | 4MP  | ●        | /    | Superior Starlight, Lux Rating 0.0005 lux, True AI Human and Vehicle Classification for Line Crossing and Intrusion Detection, IR Range up to 98', 120dB WDR, IP67                                                                                                     | IVM-JB2,<br>IVM-DRWM6           |
|  | VIS-P5TXIR180NH-AI                     | 1.68mm, Fixed            | 5MP  | ●        | /    | 120dB WDR, IP67, IR (66ft), 180° wide view (built-in dewarping), Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting                                                             | IVM-JB2,<br>IVM-DRWM6           |
|                                                                                     | VIS-P8TXIR180NH-AI                     | 1.68mm, Fixed            | 8MP  | ●        | /    |                                                                                                                                                                                                                                                                        | IVM-JB3,<br>IVM-DRWM5           |
|  | VIS-P4TXIR26TH21NH<br>VIS-P4TXIR6TH7NH | 2.6mm, 6mm,<br>Fixed     | 4MP  | ●        | ●    | Thermal & Optical Bi-Spectrum, True AI w/ Smoke and Fire Detection, Starlight Illumination Optical Lens, SD Card Slot, 12VDC/PoE                                                                                                                                       | IVM-JB8                         |
|                                                                                     | VIS-P4BXIR6TH7NH<br>VIS-P4BXIR8TH10NH  | 6mm, Fixed<br>8mm, Fixed | 4MP  | ●        | ●    |                                                                                                                                                                                                                                                                        | IVM-JB3,<br>IVM-DRWM5           |
|  | VIS-P4DRXIR28LC-AIST                   | 2.8mm, Fixed             | 4MP  | ●        | /    | Superior Starlight, Lux Rating 0.0003 lux with Smart Illumination, 120dB WDR, IP67 Ultra Motion Detection (UMD)                                                                                                                                                        | IVM-JB3,<br>IVM-DRWM5           |
|                                                                                     | VIS-P4TXIR28LC-AIST                    | 2.8mm                    | 4MP  | ●        | /    |                                                                                                                                                                                                                                                                        | IVM-JB10<br>IVM-JB10B           |
|  | VIS-P8TXIR28LC-AIST                    | 2.8mm                    | 8MP  | ●        | /    |                                                                                                                                                                                                                                                                        |                                 |
|                                                                                     | VIS-P8TXIR28BLC-AIST                   | 2.8mm                    | 8MP  | ●        | /    |                                                                                                                                                                                                                                                                        |                                 |
|  | VIS-P5BXIRA560NH-AI                    | 5-60mm,<br>Motorized     | 5MP  | /        | /    | 120dB WDR, IP67, IK10, IR (328ft), True AI Human and Vehicle Classification for Line Crossing and Intrusion Detection                                                                                                                                                  | Included Back Box               |
|                                                                                     | VIS-P8BXIRA2812NH-AIH                  | 2.8-12mm,<br>Motorized   | 8MP  | ●        | /    | 120dB WDR, IP67, IK10, IR (262ft), True AI Human and Vehicle Classification for Line Crossing and Intrusion Detection, License Plate Capture                                                                                                                           | Back box Included,<br>IVM-POLE1 |
|  | VIS-P8DRIR28NH3                        | 2.8mm, Fixed             | 8MP  | ●        | /    | 130dB WDR, IP67, IK10, IR (131ft), True AI Human and Vehicle Classification for Line Crossing and Intrusion Detection                                                                                                                                                  | IVM-JB2,<br>IVM-DRWM6           |
|                                                                                     | VIS-P8DRXIR28BLC-AIST                  | 2.8mm, Fixed             | 8MP  | ●        | /    | Superior Starlight, Lux Rating 0.0003 lux, First Level Human and Vehicle Classification, White light up to 98', 120dB WDR, IP67, K10                                                                                                                                   | IVM-JB3,<br>IVM-DRWM5           |
|  | VIS-P8TXIR28NH-AIST                    | 2.8mm, Fixed             | 8MP  | ●        | /    | Superior Starlight, 130dB WDR, IP67, IK10, White Light (98ft), True AI Human & Vehicle Classification for LineCrossing, Intrusion Detection, & Other AI Features                                                                                                       | IVM-JB3,<br>IVM-DRWM5           |
|                                                                                     | VIS-P5DRXIR28NH-HDMI                   | 2.8mm                    | 5MP  | ●        | /    | 130dB WDR, Indoor, IR (131ft), HDMI Output Type A, AI: Smart Intrusion Prevention (SIP), Face capture, People Counting                                                                                                                                                 | IVM-JB3,<br>IVM-DRWM5           |
|  | VIS-P20MULTI27135NH-AIP                | 2.7-13.5mm<br>Pan/Tilt   | 20MP | 2        | /    | 4 x 5 MP Motorized Lenses, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, Included Adapter Plate                                                                           | IVM-JB6,<br>IVM-PTZ-<br>WALL1/2 |
|                                                                                     | VIS-P2ELEV2NH                          | 2.0mm, Fixed             | 2MP  | ●        | ●    | 120dB WDR, IP67, IR (32ft) Low Profile, Wide Field of View                                                                                                                                                                                                             | N/A                             |
|  | VIS-P6CORNER2NH-AI                     | 2.0mm, Fixed             | 6MP  | 2        | ●    | IP67, IK11, IR (49ft), Corner Mount Wide Angle Camera, True AI Human & Vehicle Classification for Line Crossing, Intrusion Detection, & Other AI Features                                                                                                              | N/A                             |

## Special Series

Explosion Proof

| Model #                                                                                            | Lens                     | Res. | Built-In<br>Mic | Spkr | Features                               | Mounts        |
|----------------------------------------------------------------------------------------------------|--------------------------|------|-----------------|------|----------------------------------------|---------------|
|  VIS-P4EBXIRA2812 | 2.8-12mm, Motorized      | 4MP  | /               | /    | Explosion-Proof, IR (164ft), IP68      | IVM-EDRWM1    |
|  VIS-P5EBXIR4     | 4mm, Fixed               | 5MP  | /               | /    | Explosion-Proof, IP68, stainless steel | IVM-EDRWM2    |
|  VIS-P5EPTX33XPOE | 4.5 ~ 148.5mm, Motorized | 5MP  | /               | /    | Explosion-Proof, IP68, stainless steel | IVM-EPTZWALL1 |

PTZ

| Model #                                                                                                  | Lens | Res. | Built-In<br>Mic | Spkr | Audio | Alarm<br>I/O | Features                                                                                                                                                                                                                                                                                                                       | Mounts                              |
|----------------------------------------------------------------------------------------------------------|------|------|-----------------|------|-------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
|  VIS-P5DIPTZXIR27135NH  | 5X   | 5MP  | ●               | ●    | /     | 1/1          | 120dB WDR, WIFI, IR (98ft), Two way audio, Starlight Technology: 0.003 Lux min. illumination, AI: Smart Intrusion Prevention (SIP)                                                                                                                                                                                             | IVM-JB3, IVM-DRWM5                  |
|  VIS-P4PTZ25XIRNH-AI    | 25X  | 4MP  | /               | /    | 1/1   | 2/1          | 120dB WDR, IP67, IK10, IR (328ft), Auto-tracking, Starlight Technology: 0.003 Lux min. illumination, AI: Smart Intrusion Prevention (SIP), Face capture, People Counting                                                                                                                                                       | IVM-JB6, IVM-PTZWALL1, IVM-PTZWALL2 |
|  VIS-P4PTZ25DUALNH-AIWL | 25X  | 4MP  | /               | ●    | 1/1   | 2/1          | Dual lens, 120dB WDR, IP66, PTZ IR (328ft), Warm Light(99ft), Auto-tracking(PTZ), Starlight Technology: 0.0005(Fixed lens)/0.003(PTZ) Lux min. illumination, AI: Smart Intrusion Prevention(SIP), Face capture, People Counting                                                                                                | IVM-JB6, IVM-PTZWALL1, IVM-PTZWALL2 |
|  VIS-P2PTZXIR33NH       | 33X  | 2MP  | /               | /    | 1/1   | 2/1          | 120dB WDR, IP66, IR (492ft), Auto-tracking, Starlight Technology: 0.001 Lux min. illumination, AI: Smart Intrusion Prevention (SIP), Face capture, People Counting                                                                                                                                                             | IVM-JB6, IVM-PTZWALL1, IVM-PTZWALL2 |
|  VIS-P8PTZXIR25XNH-AI   | 25X  | 8MP  | /               | /    | 1/1   | 2/1          | 120dB WDR, IP66, IR (656ft), Auto-tracking, Starlight Technology: 0.003 Lux min. illumination, AI: Smart Intrusion Prevention (SIP), Face capture, People Counting                                                                                                                                                             | IVM-JB6, IVM-PTZWALL1, IVM-PTZWALL2 |
|  VIS-P4DRPTZ16XIRNH-AI  | 16X  | 4MP  | /               | /    | 1/1   | 2/1          | 120dB WDR, IP66, IK10, Starlight, Auto-tracking, True AI, IR (328ft), SD Card Slot, DC12V/PoE                                                                                                                                                                                                                                  | IVM-JB1A, IVM-DRWM1                 |
|  VIS-P8PTZ40XIRNH-AI    | 40X  | 8MP  | /               | /    | /     | 1/1          | DWDR, IP66, IR (820ft), True AI Human & Vehicle Classification for Line Crossing, Intrusion Detection, & Other AI Features                                                                                                                                                                                                     | IVM-JB6, IVM-PTZWALL2               |
|  VIS-P5PTZXIR27135NH    | 5X   | 5MP  | ●               | ●    | 1/1   | 1/1          | 120dB WDR, IP66, IR (164ft)+White Light, Starlight Technology: 0.005 Lux min illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, Two way audio Active Deterrence, Support red & blue warning light, Metal Bracket Housing | IVM-JB8                             |
|  VIS-P4PTZXIR33NH-AIRBT | 33X  | 4MP  | ●               | ●    | 1/1   | 2/1          | 120dB WDR, IP67, IK10,IR (820.2 ft), Auto-tracking,EIS Starlight Technology: 0.002 Lux min. illumination, AI: Smart Intrusion Prevention(SIP), Face capture, People Counting, Face library                                                                                                                                     | IVM-JB6, IVM-PTZWALL1, IVM-PTZWALL2 |

NVRs

|                                                                                     | Model #    | HDD    | Video Input | PoE   | Audio In/Out | Alarm In/Out | Incoming Bandwidth               | Res  | Features                                                                                                                                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------|------------|--------|-------------|-------|--------------|--------------|----------------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | VN2A-256   | 24 HDD | 256 CH      | N/A   | 1/1          | 24/8         | 768 Mbps                         | 12MP | Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP), LPR, RAID, Fisheye dewarping HDMI1, HDMI2, VGA asynchronous output (HDMI audio output not supported)                                                                                                           |
|  | VN3A-32X16 | 4 HDD  | 32 CH       | 16 CH | 1/1          | 16/4         | 320 Mbps                         | 12MP | Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP), HDMI and VGA simultaneous output                                                                                                                                                                               |
|  | VN3A-64    | 16 HDD | 64 CH       | N/A   | 1/1          | 24/8         | 512Mbps                          |      | Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP), LPR, RAID, Fisheye dewarping HDMI1, HDMI2, VGA asynchronous output (HDMI audio output not supported)                                                                                                           |
|  | VN3A-128   | 16 HDD | 128 CH      | N/A   | 1/1          | 24/8         |                                  |      |                                                                                                                                                                                                                                                                                                                         |
|  | VN3A-UNI2  | 16 HDD | 3000 Cams   | N/A   | 1/1          | 24/8         |                                  |      | The VN3A-UNI is a smart integrated surveillance platform with video input, storage, transfer and device management functions designed specifically for digital surveillance applications. The VN3A-UNI has adopted audio/video compression and decompression, embedded system, storage, network, and smart technologies |
|  | VN4A-4X4   | 1 HDD  | 4 CH        | 4 CH  | 1/1          | N/A          | 80Mbps                           | 4K   | Focus on human & vehicle classification w/ motion detection (UMD), Smart Intrusion Prevention (SIP), HDMI & VGA simultaneous output, AccuSearch, Face/Vehicle/Temp Detection & Video MetaData (SIP by color retrieval), LPR, Fisheye Dewarping                                                                          |
|  | VN4A-8X8   | 2 HDD  | 8 CH        | 8 CH  | 1/1          | 8/2          | 320/160 Mbps                     | 16MP | Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP), RAID, HDMI and VGA independent output, AccuSearch, Face/Vehicle/Temperature Detection & Video MetaData (SIP by color retrieval), LPR, Fisheye Dewarping                                                        |
|  | VN4A-16X16 | 2 HDD  | 16 CH       | 16 CH | 1/1          | 8/2          | (Smart Mode On/Off)              | 16MP | Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP), RAID (1, 5), HDMI & VGA independent output, AccuSearch, Face/Vehicle/Temperature Detection & Video MetaData (SIP by color retrieval), LPR, Fisheye Dewarping                                                   |
|  | VN4A-32    | 4 HDD  | 32 CH       | N/A   | 1/1          | 16/4         |                                  | 16MP | Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP), RAID (1, 5), HDMI & VGA independent output, AccuSearch, Face/Vehicle/Temperature Detection & Video MetaData (SIP by color retrieval), LPR, Fisheye Dewarping                                                   |
|  | VN4A-32X   | 4 HDD  | 32 CH       | N/A   | 1/2          | 16/10        | 384/200 Mbps (Smart Mode On/Off) | 32MP | Focus on human & vehicle classification w/ motion detection (UMD), Smart Intrusion Prevention (SIP), RAID (0, 1, 5),HDMI1/VGA1 & HDMI2/VGA2 independent output. AccuSearch, Face/Vehicle/Temperature Detection & Video MetaData (SIP by color retrieval), LPR, Fisheye Dewarping                                        |
|  | VN4A-32X24 | 4 HDD  | 32 CH       | 24 CH | 1/2          | 16/10        |                                  | 32MP | Focus on human & vehicle classification w/ motion detection (UMD), Smart Intrusion Prevention (SIP), RAID (0, 1, 5),HDMI1/VGA1 & HDMI2/VGA2 independent output. AccuSearch, Face/Vehicle/Temperature Detection & Video MetaData (SIP by color retrieval), LPR, Fisheye Dewarping                                        |
|  | VN4A-64X24 | 4 HDD  | 64 CH       | 24 CH | 1/2          | 16/10        | 80Mbps                           | 4K   | Focus on human & vehicle classification w/ motion detection (UMD), Smart Intrusion Prevention (SIP), RAID (0, 1, 5),HDMI1/VGA1 & HDMI2/VGA2 independent output. AccuSearch, Face/Vehicle/Temperature Detection & Video MetaData (SIP by color retrieval), LPR, Fisheye Dewarping                                        |
|  | VN5A-8X8   | 1 HDD  | 8 CH        | 8 CH  | 1/1          | 4/1          |                                  | 4K   | Focus on human & vehicle classification w/ motion detection (UMD), Smart Intrusion Prevention (SIP), RAID (0, 1, 5),HDMI1/VGA1 & HDMI2/VGA2 independent output. AccuSearch, Face/Vehicle/Temperature Detection & Video MetaData (SIP by color retrieval), LPR, Fisheye Dewarping                                        |
|  | VN5A-32    | 2 HDD  | 32 CH       | N/A   | 1/1          | 16/4         | 192Mbps                          | 32MP | Focus on human & vehicle classification w/ motion detection (UMD), Smart Intrusion Prevention (SIP), RAID (0, 1, 5),HDMI1/VGA1 & HDMI2/VGA2 independent output. AccuSearch, Face/Vehicle/Temperature Detection & Video MetaData (SIP by color retrieval), LPR, Fisheye Dewarping, Supports AI text search               |

Decoders

| Model #                                                                                         | Max Total CH | Channels Per HDMI |
|-------------------------------------------------------------------------------------------------|--------------|-------------------|
|  VIS-HDMI4A* | 64           | 16                |
|  VIS-HDMI7A* | 112          | 16                |



VS1A-MIDSERVER  
250 Devices or 500 Channels



VIS-DUALDOORBELL  
Doorbell Camera

VIS-DOORCHIME  
Doorbell Chime



\*Use with VN3A-64 & VN3A128 Only

www.invidtech.com | 631-388-5700

#### ABOUT INVID TECH

Innovative Video Technology (InVid Tech) provides forward-thinking security solutions designed to deliver clarity, intelligence, and control. Our IP surveillance systems combine high-performance hardware with AI-powered analytics—such as human and vehicle classification, facial recognition, and license plate capture—to help users respond faster and smarter. InVid Tech also offers scalable solutions including cloud storage, access control integrations, solar-powered surveillance, lockers, and turnstiles. With a dedicated U.S.-based support team and a nationwide sales presence, we deliver hands-on expertise from deployment through long-term operation.