


VISION SERIES



ECO Series

631-388-5700 | sales@invidtech.com | www.invidtech.com



	Model #	Lens	Res.	Built-in Mic	Built-In Speaker	Features	Mounts
	VIS-P4TXIR28NH-LC2	2.8mm, Fixed	4MP	/	/	DWDR, IP67, IR (98ft), Basic motion detection	IVM-JB2, IVM-DRWM6

ECO (Two Way Audio, Dual-Light)

	Model #	Lens	Res.	Built-in Mic	Built-In Speaker	Features	Mounts
	VIS-P4BXIR28NH-2WAY	2.8mm, Fixed	4MP	●	●	120dB WDR, IP67, IR & Warm LED, IR (98ft), Two Way Audio, Starlight Technology: 0.003 Lux min. illumination, Focus on human and vehicle classification with motion detection(UMD)	IVM-JB9
	VIS-P4TXIR28NH-2WAY						IVM-JB2, IVM-DRWM6

ECO+ Series (With UMD)

	Model #	Lens	Res.	Built-in Mic	Built-In Speaker	Features	Mounts
	VIS-P5BXIRA2812NH-LC	2.8-12mm, Motorized	5MP	●	/	120dB WDR, IP67, IR (164ft), Starlight Technology: 0.001 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB9
	VIS-P8BXIR28NH-LC	2.8mm, Fixed	8MP	●	/	120dB WDR, IP67, IR (164ft), Starlight Technology: 0.005 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB9
	VIS-P5DRXIR28NH-LC	2.8mm, Fixed	5MP	●	/	120dB WDR, IP67, IK10, IR (98ft), Starlight Technology: 0.003 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB2, IVM-DRWM6
	VIS-P5DRXIR4NH-LC	4.0mm, Fixed	5MP	●	/		IVM-JB2, IVM-DRWM6
	VIS-P5DRXIRA2812NH-LC	2.8-12mm, Motorized	5MP	●	/	120dB WDR, IP67, IK10, IR (131ft), Starlight Technology: 0.001 Lux min. illumination	IVM-JB3, IVM-DRWM5
	VIS-P8DRIR28NH-LC	2.8mm, Fixed	8MP	●	/	120dB WDR, IP67, IK10, IR (98ft), Starlight Technology: 0.005 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB2, IVM-DRWM6
	VIS-P8LIRA28NH	2.8mm, Fixed	8MP	●	/	120dB WDR, IP67, IK10, IR (98ft), Audio 1/1, Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB2, IVM-DRWM6
	VIS-P4TXIR28NH-LC	2.8mm, Fixed	4MP	●	/	120dB WDR, IP67, IR (98ft), Starlight Technology: 0.003 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB2, IVM-DRWM6
	VIS-P5TXIR28NH-LC	2.8mm, Fixed	5MP	●	/	120dB WDR, IP67, IR (98ft), Starlight Technology: 0.003 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB2, IVM-DRWM6
	VIS-P8TXIR28NH-LC2	2.8mm, Fixed	8MP	●	/	120dB WDR, IP67, IR (98ft), Starlight Technology: 0.005 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB2, IVM-DRWM6

AI Series

	Model #	Lens	Res	Built-in Mic	Built-In Speaker	Features	Mounts
	VIS-P4BXIR28NH	2.8mm, Fixed	4MP	●	/	120dB WDR, IP67, IR (131ft), Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (intelligently classify human and vehicle based on VCA: including Cross Line detection, Intrusion detection, Enter/leave Area detection), Face capture, People Counting	IVM-JB5
	VIS-P5BXIR28NH VIS-P5BXIR4NH	2.8mm/4mm, Fixed	5MP	●	/		IVM-JB5
	VIS-P4BXIRA27135NH	2.7 ~ 13.5mm F1.2, Motorized	4MP	/	/	120dB WDR, IP67, IK10, IR (164ft), Alarm and Audio interface, Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB8
	VIS-P5BXIRA27135NH VIS-P5BXIRA27135NHB (Black Housing)	2.7 ~ 13.5mm F1.2, Motorized	5MP	/	/	120dB WDR, IP67, IK10, IR (164ft), Alarm and Audio interface, Starlight Technology: 0.002(5MP)/0.0025(8MP) Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB8
	VIS-P8BXIRA2812NH	2.8~ 12mm F1.6, Motorized	8MP	/	/		IVM-JB8
	VIS-P4DRXIR28NH	2.8mm, Fixed	4MP	/	/	120dB WDR, IP67, IK10, IR (98ft), Alarm and Audio interface, Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB2, IVM-DRWM6
	VIS-P5DRIR28NH	2.8mm, Fixed	5MP	/	/		IVM-JB2, IVM-DRWM6
	VIS-P4DRXIRA27135NH	2.7 ~ 13.5mm F1.2, Motorized	4MP	●	/	120dB WDR, IP67, IK10, IR (131ft), Alarm & Audio interface, Starlight Tech: 0.002 Lux min. illum, Focus on human & vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB1A, IVM-DRWM1
	VIS-P5DRXIRA27135NH VIS-P5DRXIRA27135NHB (Black Housing)	2.7 ~ 13.5mm F1.2, Motorized	5MP	●	/	120dB WDR, IP67, IK10, IR (131ft), Alarm & Audio interface, Starlight Tech: 0.002 Lux min. illum, Focus on human & vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB1A, IVM-DRWM1
	VIS-P8DRXIRA2812NH	2.8~ 12mm F1.6, Motorized	8MP	●	/	120dB WDR, IP67, IK10, IR (131ft), Alarm and Audio interface, Starlight Technology: 0.0025 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention(SIP), Face capture, People Counting IR (131ft), Alarm and Audio interface, Starlight, UMD, SIP, Face capture, People Counting	IVM-JB1A, IVM-DRWM1









	Model #	Lens	Res.	Built-in Mic	Built-In Speaker	Features	Mounts
	VIS-P4LIRA28NH	2.8mm, Fixed	4MP	●	/	120dB WDR, IP67, IK10, IR (98ft), Audio interface, Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB2, IVM-DRWM6
	VIS-P4TXIR28NH2	2.8mm, Fixed	4MP	●	/	120dB WDR, IP67, IR (98ft), Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB2, IVM-DRWM6
	VIS-P5TXIR4NH	4mm, Fixed	5MP	●	/		IVM-JB2, IVM-DRWM6
	VIS-P4TXIRA27135NH	2.7 ~ 13.5mm F1.2, Motorized	4MP	●	/	120dB WDR, IP67, IK10, IR (131ft), Starlight Technology: 0.001(4MP)/0.002(5MP)/0.003(8MP) Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB3, IVM-DRWM5
	VIS-P5TXIRA27135NH	2.7 ~ 13.5mm F1.2, Motorized	5MP	●	/		IVM-JB3, IVM-DRWM5
	VIS-P8TXIRA2812NH	2.8-12mm F1.6, Motorized	8MP	●	/		IVM-JB3, IVM-DRWM5
	VIS-P8TXIR28NH-AI	2.8mm, Fixed	8 MP	●	/	120dB WDR, IP67, IR (98ft), Starlight Technology: 0.0025 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB3, IVM-DRWM5

Active Deterrence Series (Two Way Audio)








	Model #	Lens	Res	Built-in Mic	Built-In Speaker	Features	Mounts
	VIS-P4BXIR28NH-AIWL	2.8mm, Fixed	4MP	●	●	120dB WDR, IP67, IR (98ft)+White Light (98ft) Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, Two way audio Active Deterrence	IVM-JB9
	VIS-P8BXIR28NH-AIWL	2.8mm, Fixed	8MP	●	●		IVM-JB9
	VIS-P4TXIR28NH-AIWL	2.8mm, Fixed	4MP	●	●		IVM-JB2, IVM-DRWM6
	VIS-P8TXIR28NH-AIWL	2.8mm, Fixed	8MP	●	●		IVM-JB2, IVM-DRWM6
	VIS-P5TXIR28NH-AIRBT	2.8mm, Fixed	5MP	●	●	130dB WDR, IP67, IR (98ft)+White Light (98ft) Starlight Technology: 0.001 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, Two way audio Active Deterrence, Support red & blue warning light	IVM-JB2, IVM-DRWM6
	VIS-P8TXIR28NH-AIRBT	2.8mm, Fixed	8MP	●	●		IVM-JB2, IVM-DRWM6

Special Series



	Model #	Lens	Res	Built-in Mic	Built-In Speaker	Features	Mounts
	VIS-P4BXIRA65143NH	6.5-143mm, Motorized	4MP	/	/	Long range, 120 dB WDR, IP67, IK10, IR (492.1 ft), Alarm and Audio interface, Starlight Technology: 0.001 Lux min. illumination, Deep AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, License Plate Capture, Built-in heater	IVM-JB8
	VIS-P5BXIR180NH-AI	1.68mm, Fixed	5MP	●	/	120dB WDR, IP67, IR (66ft), 180° wide view(built-in dewarping), Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB9
	VIS-P8BXIR180NH-AI	1.68mm, Fixed	8MP	●	/		IVM-JB9
	VIS-P4DUALDRIR28NH-AI	2.8mm, Fixed	4MP	2	/	130dB WDR, IP67, K10, IR (98ft), Alarm and Audio interface, Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)-2 Channels, AI: Smart Intrusion Prevention (SIP)-2 Channels, Face capture, People Counting	IVM-JB11
	VIS-P4LPR832NH-WL	8 to 32mm, Motorized	4MP	/	/	120dB WDR, IP67, IK10, White Light (164ft) Alarm and Audio interface, Built-in vehicle and license plate recognition algorithm can recognize standard license plates Supports plate allowlist and blacklist configuration Supports vehicle access control when connected to a barrier.	IVM-JB8
	VIS-P4MULTI160-WL	4.0mm, Fixed, F1.0	4MP	2	●	Dual lens, DWDR, IP67, White Light (98ft), 24/7 Color View, Alarm & Audio interface, Starlight Tech: 0.0005 Lux min. illumination, Human Body Detection, Two way audio	IVM-JB8
	VIS-P8MULTI180-WL	4.0mm, Fixed, F1.0	8MP	2	●	Dual lens, 120dB WDR, IP67, White Light (98ft), 24/7 Color View, Alarm & Audio interface, Starlight Tech: 0.0005 Lux min. illumination, Two way audio, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), People Counting	IVM-JB8
	VIS-P5PANNH	1.4mm, Fixed	5MP	2	/	120dB WDR, IP66, IK10, IR (33ft), Alarm and Audio interface, Heat Map	IVM-JB3, IVM-DRWM5
	VIS-P12PANNH	1.8mm, Fixed	12MP	2	●	DWDR, IP67, IK10, IR (49ft), Alarm and Audio interface, Heat Map, Built-in Dewarping, Two way audio, AI: Smart Intrusion Prevention(SIP)	IVM-JBPAN, IVM-DRWM1
	VIS-P4TXIR28NH-AIST	2.8mm, Fixed	4MP	●	/	Superior Starlight, Lux Rating 0.0005 lux, True AI Human and Vehicle Classification for Line Crossing and Intrusion Detection, IR Range up to 98', 120dB WDR, IP67	IVM-JB3, IVM-DRWM5
	VIS-P5TXIR180NH-AI	1.68mm, Fixed	5MP	●	/	120dB WDR, IP67, IR (66ft), 180° wide view(built-in dewarping), Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB2, IVM-DRWM6
	VIS-P8TXIR180NH-AI	1.68mm, Fixed	8MP	●	/		IVM-JB2, IVM-DRWM6
	VIS-P4TXIR26TH21NH VIS-P4TXIR6TH7NH	2.6mm, Fixed 6mm, Fixed	4MP	●	●	Thermal & Optical Bi-Spectrum, True AI w/ Smoke and Fire Detection, Starlight Illumination Optical Lens, SD Card Slot, 12vDC/PoE	IVM-JB3, IVM-DRWM5
	VIS-P4BXIR6TH7NH VIS-P4BXIR8TH10NH	6mm, Fixed 8mm, Fixed	4MP	●	●		IVM-JB8

	Model #	Lens	Res	Built-in Mic	Built-In Speaker	Audio	Alarm I/O	Features	Mounts
	VIS-P5DIPTZXIR27135NH	5X	5MP	●	●	/	1/1	120dB WDR, WIFI, IR (98ft), Two way audio, Starlight Technology: 0.003 Lux min. illumination, AI: Smart Intrusion Prevention (SIP)	IVM-JB3, IVM-DRWM5
	VIS-P5PTZXIR2812NH	4X	5MP	●	●	/	/	120dB WDR, IP66, IR (164ft), Active deterrence, Two way audio, Auto-tracking(Human only), Starlight Technology: 0.003 Lux min. illumination, AI: Smart Intrusion Prevention (SIP)	IVM-JB8
	VIS-P4PTZ25XIRNH-AI	25X	4MP	/	/	1/1	2/1	120dB WDR, IP67, IK10, IR (328ft), Auto-tracking, Starlight Technology: 0.003 Lux min. illumination, AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB6, IVM-PTZWALL1, IVM-PTZWALL2
	VIS-P4PTZ25DUALNH-AIWL	25X	4MP	/	●	1/1	2/1	Dual lens, 120dB WDR, IP66, PTZ IR (328ft), Warm Light(99ft), Auto-tracking(PTZ), Starlight Technology: 0.0005(Fixed lens)/0.003(PTZ) Lux min. illumination, AI: Smart Intrusion Prevention(SIP), Face capture, People Counting	IVM-JB6, IVM-PTZWALL1, IVM-PTZWALL2
	VIS-P2PTZXIR33NH	33X	2MP	/	/	1/1	2/1	120dB WDR, IP66, IR (492ft), Auto-tracking, Starlight Technology: 0.001 Lux min. illumination, AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB6, IVM-PTZWALL1, IVM-PTZWALL2
	VIS-P4PTZ33XNH-AI	33X	4MP	/	/	1/1	7/2	120dB WDR, IP67, IK10, IR (492ft), Auto-tracking, Starlight Technology: 0.003 Lux min. illumination, AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-PTZWALL1
	VIS-P8PTZXIR25XNH-AI	25X	8MP	/	/	1/1	2/1	120dB WDR, IP66, IR (656ft), Auto-tracking, Starlight Technology: 0.003 Lux min. illumination, AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB6, IVM-PTZWALL1, IVM-PTZWALL2
	VIS-P4DRPTZ16XIRNH-AI	16X	4MP	/	/	1/1	2/1	120dB WDR, IP66, IK10, Starlight, Auto-tracking, True AI, IR (328ft), SD Card Slot, DC12V/PoE	IVM-JB1A, IVM-DRWM1

NVRs

	Model #	HDD	Video Input	PoE	Audio In/Out	Alarm In/Out	Incoming Bandwidth	Res	Decoding Ability	Features
	VN2A-4X4	1 HDD	4 CH	4 CH	1/1	N/A	80Mbps	4K	2 x 4K@30 4 x 4MP@30 8 x 1080P@30	HDMI and VGA simultaneous output, Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP)
	VN3A-8X8	2 HDD	8 CH	8 CH	1/1	8/2	320Mbps	12 MP	1 x 12MP@30 2 x 4K@30 5 x 4MP@30 10 x 1080P@30	Focus on human and vehicle classification with motion detection(UMD), Smart Intrusion Prevention(SIP), LPR, POS, RAID,Fisheye dewarping VGA and HDMI asynchronous output
	VN3A-16X16	2 HDD	16 CH	16 CH	1/1	8/2	320Mbps			
	VN2A-32X16	4 HDD	32 CH	16 CH	1/1	16/4	160Mbps	4K	2 x 4K@30 4 x 4MP@30 8 x 1080P@30	Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP), HDMI and VGA simultaneous output
	VN3A-32X16	4 HDD	32 CH	16 CH	1/1	16/4	320Mbps	12MP	4 x 4K@30 8 x 4MP@30 9 x 4MP@25 16 x 1080p@30	Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP), LPR, RAID, Fisheye dewarping HDMI1, HDMI2, VGA asynchronous output (HDMI audio output is not supported)
	VN2A-32	4 HDD	32 CH	N/A	1/1	16/4	384Mbps	12MP		
	VN2A-128	16 HDD	128 CH	N/A	1/1	24/8	512Mbps	12MP	4 x 4K@30 16 x 1080P@30 36 x 720P@30 64 x D1@30 (Up to 128, Additional 64, Using INVID-DC5601 Decoder)	
	VN3A-64	16 HDD	64 CH	N/A	1/1	24/8	512Mbps	12MP	3 x 12MP@25 4 x 4K@30 16 x 1080P@30	Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP), LPR, RAID, Fisheye dewarping HDMI1, HDMI2, VGA asynchronous output (HDMI audio output not supported)
	VN3A-128	16 HDD	128 CH	N/A	1/1	24/8	512Mbps			

Decoders

	Model #	Max Total CH	Channels Per HDMI
	VIS-HDMI4A*	64	16
	VIS-HDMI7A*	112	16

*Use with VN3A-64 & VN3A128 Only

ABOUT INVID TECH

Innovative Video Technology, InVid Tech, is a security equipment provider. We offer products to Alert, Connect, & Secure. IP Surveillance with advanced features such as AI technology with Human and Vehicle Classification. Facial Recognition, License Plate Recognition, and many other intelligent security options. We offer multiple cloud options and products such as Locker Access, Turnstiles, and Stand-Alone Solar Surveillance. We have an experienced team in the United States, including Sales, Customer Service, and Tech Support. We have reps nationwide who are available to assist wherever needed.