


VISION SERIES



	Model #	Lens	Res.	Built-in Mic	Built-In Speaker	Features	Mounts
	VIS-P4TXIR28NH-LC2	2.8mm, Fixed	4MP	/	/	DWDR, IP67, IR (98ft), Basic motion detection	IVM-JB2, IVM-DRWM6
	VIS-P5TXIR28NH-LC3	2.8mm, Fixed	5MP	●	/	DWDR, IP67, Supplemental Light Options: IR, White Light, White Light Trigger from Human Body Detection	IVM-JB3 IVM-DRWM5

ECO (Two Way Audio, Dual-Light)

	Model #	Lens	Res.	Built-in Mic	Built-In Speaker	Features	Mounts
	VIS-P4BXIR28NH-2WAY	2.8mm, Fixed	4MP	●	●	120dB WDR, IP67, IR & Warm LED, IR (98ft), Two Way Audio, Starlight Technology: 0.003 Lux (P8 0.005 Lux) min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB9
	VIS-P4TXIR28NH-2WAY						IVM-JB2, IVM-DRWM6
	VIS-P8TXIR28NH-2WAY						8MP

ECO+ Series (With UMD)

	Model #	Lens	Res.	Built-in Mic	Built-In Speaker	Features	Mounts
	VIS-P5BXIRA2812NH-LC	2.8-12mm, Motorized	5MP	●	/	120dB WDR, IP67, IR (164ft), Starlight Technology: 0.001 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB9
	VIS-P8BXIR28NH-LC	2.8mm, Fixed	8MP	●	/	120dB WDR, IP67, IR (164ft), Starlight Technology: 0.005 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB9
	VIS-P5DRXIR28NH-LC	2.8mm, Fixed	5MP	●	/	120dB WDR, IP67, IK10, IR (98ft), Starlight Technology: 0.003 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB2, IVM-DRWM6
	VIS-P5DRXIR4NH-LC	4.0mm, Fixed	5MP	●	/		IVM-JB2, IVM-DRWM6
	VIS-P5DRXIRA2812NH-LC	2.8-12mm, Motorized	5MP	●	/	120dB WDR, IP67, IK10, IR (131ft), Starlight Technology: 0.001 Lux min. illumination	IVM-JB3, IVM-DRWM5
	VIS-P8DRIR28NH-LC	2.8mm, Fixed	8MP	●	/	120dB WDR, IP67, IK10, IR (98ft), Starlight Technology: 0.005 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB2, IVM-DRWM6
	VIS-P8LIRA28NH	2.8mm, Fixed	8MP	●	/	120dB WDR, IP67, IK10, IR (98ft), Audio 1/1, Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB2, IVM-DRWM6
	VIS-P4TXIR28NH-LC	2.8mm, Fixed	4MP	●	/	120dB WDR, IP67, IR (98ft), Starlight Technology: 0.003 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB2, IVM-DRWM6
	VIS-P5TXIR28NH-LC	2.8mm, Fixed	5MP	●	/	120dB WDR, IP67, IR (98ft), Starlight Technology: 0.003 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB2, IVM-DRWM6
	VIS-P8TXIR28NH-LC2	2.8mm, Fixed	8MP	●	/	120dB WDR, IP67, IR (98ft), Starlight Technology: 0.005 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD)	IVM-JB2, IVM-DRWM6

AI Series

	Model #	Lens	Res	Built-in Mic	Built-In Speaker	Features	Mounts
	VIS-P4BXIR28NH	2.8mm, Fixed	4MP	●	/	120dB WDR, IP67, IR (131ft), Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (intelligently classify human and vehicle based on VCA: including Cross Line detection, Intrusion detection, Enter/leave Area detection), Face capture, People Counting	IVM-JB5
	VIS-P5BXIR28NH VIS-P5BXIR4NH	2.8mm/4mm, Fixed	5MP	●	/		IVM-JB5
	VIS-P4BXIRA27135NH	2.7 ~ 13.5mm F1.2, Motorized	4MP	/	/	120dB WDR, IP67, IK10, IR (164ft), Alarm and Audio interface, Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB8
	VIS-P5BXIRA27135NH VIS-P5BXIRA27135NHB (Black Housing)	2.7 ~ 13.5mm F1.2, Motorized	5MP	/	/	120dB WDR, IP67, IK10, IR (164ft), Alarm and Audio interface, Starlight Technology: 0.002(5MP)/0.0025(8MP) Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB8
	VIS-P8BXIRA2812NH	2.8~ 12mm F1.6, Motorized	8MP	/	/		IVM-JB8
	VIS-P4DRXIR28NH	2.8mm, Fixed	4MP	/	/	120dB WDR, IP67, IK10, IR (98ft), Alarm and Audio interface, Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB2, IVM-DRWM6
	VIS-P4DRXIRA27135NH VIS-P4DRXIRA27135NHT (Tinted Bubble)	2.7 ~ 13.5mm F1.2, Motorized	4MP	●	/	120dB WDR, IP67, IK10, IR (131ft), Alarm & Audio interface, Starlight Tech: 0.002 Lux min. illum, Focus on human & vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB1A, IVM-DRWM1
	VIS-P5DRXIRA27135NH VIS-P5DRXIRA27135NHB (Black Housing)	2.7 ~ 13.5mm F1.2, Motorized	5MP	●	/	120dB WDR, IP67, IK10, IR (131ft), Alarm & Audio interface, Starlight Tech: 0.002 Lux min. illum, Focus on human & vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB1A, IVM-DRWM1
	VIS-P8DRXIRA2812NH	2.8~ 12mm F1.6, Motorized	8MP	●	/	120dB WDR, IP67, IK10, IR (131ft), Alarm and Audio interface, Starlight Technology: 0.0025 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention(SIP), Face capture, People Counting IR (131ft), Alarm and Audio interface, Starlight, UMD, SIP, Face capture, People Counting	IVM-JB1A, IVM-DRWM1

	Model #	Lens	Res.	Built-in Mic	Built-In Speaker	Features	Mounts
	VIS-P4LIRA28NH	2.8mm, Fixed	4MP	●	/	120dB WDR, IP67, IK10, IR (98ft), Audio interface, Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB2, IVM-DRWM6
	VIS-P4TXIR28NH2	2.8mm, Fixed	4MP	●	/	120dB WDR, IP67, IR (98ft), Starlight Technology: 0.002 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB2, IVM-DRWM6
	VIS-P5TXIR4NH	4mm, Fixed	5MP	●	/		IVM-JB2, IVM-DRWM6
	VIS-P4TXIRA27135NH	2.7 ~ 13.5mm F1.2, Motorized	4MP	●	/	120dB WDR, IP67, IK10, IR (131ft), Starlight Technology: 0.001(4MP)/0.002(5MP)/0.003(8MP) Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB3, IVM-DRWM5
	VIS-P5TXIRA27135NH	2.7 ~ 13.5mm F1.2, Motorized	5MP	●	/		
	VIS-P8TXIRA2812NH	2.8-12mm F1.6, Motorized	8MP	●	/		
	VIS-P8TXIR28NH-AI	2.8mm, Fixed	8MP	●	/	120dB WDR, IP67, IR (98ft), Starlight Technology: 0.0025 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB3, IVM-DRWM5

Active Deterrence Series (Two Way Audio)

	Model #	Lens	Res	Built-in Mic	Built-In Speaker	Features	Mounts
	VIS-P4BXIR28NH-AIWL	2.8mm, Fixed	4MP	●	●	120dB WDR, IP67, IR (98ft)+White Light (98ft) Starlight Tech: 0.002 Lux min. illumination, Focus on human and vehicle classification w/ motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, 2-way audio Active Deterrence	IVM-JB9
	VIS-P8BXIR28NH-AIWL	2.8mm, Fixed	8MP	●	●		IVM-JB2, IVM-DRWM6
	VIS-P4TXIR28NH-AIWL	2.8mm, Fixed	4MP	●	●	130dB WDR, IP67, IR (98ft)+White Light (98ft) Starlight Technology: 0.001 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, Two way audio Active Deterrence, Support red & blue warning light	IVM-JB2, IVM-DRWM6
	VIS-P8TXIR28NH-AIWL	2.8mm, Fixed	8MP	●	●		
	VIS-P5TXIR28NH-AIRBT	2.8mm, Fixed	5MP	●	●	120dB WDR, IP66, IR (164ft)+White Light, Starlight Technology: 0.005 Lux min illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, Two way audio Active Deterrence, Support red & blue warning light, Metal Bracket Housing	IVM-JB8
	VIS-P8TXIR28NH-AIRBT	2.8mm, Fixed	8MP	●	●		
	VIS-P5PTXIR27135NH	2.7-13.5mm Motorized	5MP	●	●	130dB WDR, IP67, IR (98ft)+White Light (98ft) Starlight Technology: 0.005 Lux min. illumination, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, Two way audio Active Deterrence, Support red & blue warning light	TBD (Please Contact Sales)
	VIS-P8TXIR180NH-AIRBT	2.8mm, Fixed x2 Lenses	8MP	●	●		

Special Series

	Model #	Lens	Res	Built-in Mic	Built-In Speaker	Features	Mounts
	VIS-P4BXIRA65143NH	6.5-143mm, Motorized	4MP	/	/	Long range, 120 dB WDR, IP67, IK10, IR (492.1 ft), Alarm and Audio interface, Starlight Technology: 0.001 Lux min. illumination, Deep AI: Smart Intrusion Prevention (SIP), Face capture, People Counting, License Plate Capture, Built-in heater	IVM-JB8
	VIS-P5BXIR180NH-AI	1.68mm, Fixed	5MP	●	/	120dB WDR, IP67, IR (66ft), 180° wide view(built-in dewarping), Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB9
	VIS-P8BXIR180NH-AI		8MP	●	/		
	VIS-P4DUALDRIR28NH-AI	2.8mm, Fixed	4MP	2	/	130dB WDR, IP67, K10, IR (98ft), Alarm & Audio interface, Starlight Technology: 0.002 Lux min. illumination, Focus on human & vehicle classification w/ motion detection (UMD)-2 Ch, AI: Smart Intrusion Prevention (SIP)-2 Ch, Face capture, People Counting	IVM-JB11
	VIS-P4LPR832NH-WL	8 to 32mm, Motorized	4MP	/	/	120dB WDR, IP67, IK10, White Light (164ft) Alarm & Audio interface, Built-in vehicle & license plate recognition algorithm recognize standard license plates Supports plate allowlist & blocklist config, Supports vehicle access control when connected to a barrier.	IVM-JB8
	VIS-P4MULTI160-WL	4.0mm, Fixed, F1.0	4MP	2	●	Dual lens, DWDR, IP67, White Light (98ft), 24/7 Color View, Alarm & Audio interface, Starlight Tech: 0.0005 Lux min. illumination, Human Body Detection, Two way audio	IVM-JB8
	VIS-P8MULTI180-WL	4.0mm, Fixed, F1.0	8MP	2	●	Dual lens, 120dB WDR, IP67, White Light (98ft), 24/7 Color View, Alarm & Audio interface, Starlight Tech: 0.0005 Lux min. illum, 2-way audio, Focus on human & vehicle class with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), People Counting	IVM-JB8
	VIS-P5PANNH	1.4mm, Fixed	5MP	2	/	120dB WDR, IP66, IK10, IR (33ft), Alarm and Audio interface, Heat Map	IVM-JB3, IVM-DRWM5
	VIS-P12PANNH	1.8mm, Fixed	12MP	2	●	DWDR, IP67, IK10, IR (49ft), Alarm and Audio interface, Heat Map, Built-in Dewarping, Two way audio, AI: Smart Intrusion Prevention(SIP)	IVM-JBPAN, IVM-DRWM1
	VIS-P4TXIR28NH-AIST	2.8mm, Fixed	4MP	●	/	Superior Starlight, Lux Rating 0.0005 lux, True AI Human and Vehicle Classification for Line Crossing and Intrusion Detection, IR Range up to 98', 120dB WDR, IP67	IVM-JB3, IVM-DRWM5
	VIS-P5TXIR180NH-AI	1.68mm, Fixed	5MP	●	/	120dB WDR, IP67, IR (66ft), 180° wide view (built-in dewarping), Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB2, IVM-DRWM6
	VIS-P8TXIR180NH-AI		8MP	●	/		IVM-JB2, IVM-DRWM6
	VIS-P4TXIR26TH21NH VIS-P4TXIR6TH7NH	2.6mm, 6mm, Fixed	4MP	●	●	Thermal & Optical Bi-Spectrum, True AI w/ Smoke and Fire Detection, Starlight Illumination Optical Lens, SD Card Slot, 12vDC/PoE	IVM-JB3, IVM-DRWM5
	VIS-P4BXIR6TH7NH VIS-P4BXIR8TH10NH	6mm, Fixed 8mm, Fixed	4MP	●	●		IVM-JB8
	VIS-P4DRXIR28LC-AIST	2.8mm, Fixed	4MP	●	/	Superior Starlight, Lux Rating 0.0003 lux with Smart Illumination, 120dB WDR, IP67 Ultra Motion Detection (UMD)	TBD (Please Contact Sales)
	VIS-P8DRXIR28LC-AIST		8MP	●	/		
	VIS-P4TXIR28LC-AIST		4MP	●	/		
	VIS-P8TXIR28LC-AIST		8MP	●	/		IVM-JB10

	VIS-P5DRXIR28NH-HDMI	2.8mm	5MP	●	/	130dB WDR, Indoor, IR (131ft), HDMI Output Type A, AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB3 IVM-DRWM5
	VIS-P20MULTI27135NH-AI	2.7-13.5mm Pan/Tilt	20MP	2	/	4 x 5 MP Motorized Lenses, Focus on human and vehicle classification with motion detection (UMD) AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	See Website

PTZ

	Model #	Lens	Res	Built-in Mic	Built-In Speaker	Audio	Alarm I/O	Features	Mounts
	VIS-P5DIPTZXIR27135NH	5X	5MP	●	●	/	1/1	120dB WDR, WIFI, IR (98ft), Two way audio, Starlight Technology: 0.003 Lux min. illumination, AI: Smart Intrusion Prevention (SIP)	IVM-JB3, IVM-DRWM5
	VIS-P5PTZXIR2812NH	4X	5MP	●	●	/	/	120dB WDR, IP66, IR (164ft), Active deterrence, Two way audio, Auto-tracking(Human only), Starlight Technology: 0.003 Lux min. illumination, AI: Smart Intrusion Prevention (SIP)	IVM-JB8
	VIS-P4PTZ25XIRNH-AI	25X	4MP	/	/	1/1	2/1	120dB WDR, IP67, IK10, IR (328ft), Auto-tracking, Starlight Technology: 0.003 Lux min. illumination, AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB6, IVM-PTZ-WALL1, IVM-PTZWALL2
	VIS-P4PTZ25DUALNH-AIWL	25X	4MP	/	●	1/1	2/1	Dual lens, 120dB WDR, IP66, PTZ IR (328ft), Warm Light(99ft), Auto-tracking(PTZ), Starlight Technology: 0.0005(Fixed lens)/0.003(PTZ) Lux min. illumination, AI: Smart Intrusion Prevention(SIP), Face capture, People Counting	IVM-JB6, IVM-PTZ-WALL1, IVM-PTZWALL2
	VIS-P2PTZXIR33NH	33X	2MP	/	/	1/1	2/1	120dB WDR, IP66, IR (492ft), Auto-tracking, Starlight Technology: 0.001 Lux min. illumination, AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB6, IVM-PTZ-WALL1, IVM-PTZWALL2
	VIS-P4PTZ33XNH-AI	33X	4MP	/	/	1/1	7/2	120dB WDR, IP67, IK10, IR (492ft), Auto-tracking, Starlight Technology: 0.003 Lux min. illumination, AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-PTZWALL1
	VIS-P8PTZXIR25XNH-AI	25X	8MP	/	/	1/1	2/1	120dB WDR, IP66, IR (656ft), Auto-tracking, Starlight Technology: 0.003 Lux min. illumination, AI: Smart Intrusion Prevention (SIP), Face capture, People Counting	IVM-JB6, IVM-PTZ-WALL1, IVM-PTZWALL2
	VIS-P4DRPTZ16XIRNH-AI	16X	4MP	/	/	1/1	2/1	120dB WDR, IP66, IK10, Starlight, Auto-tracking, True AI, IR (328ft), SD Card Slot, DC12V/PoE	IVM-JB1A, IVM-DRWM1

NVRs

	Model #	HDD	Video Input	PoE	Audio In/Out	Alarm In/Out	Incoming Bandwidth	Res	Features
	VN2A-4X4	1 HDD	4 CH	4 CH	1/1	N/A	80Mbps	4K	Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP), HDMI and VGA simultaneous output
	VN2A-32X16	4 HDD	32 CH	16 CH	1/1	16/4	160Mbps	4K	
	VN3A-32X16	4 HDD	32 CH	16 CH	1/1	16/4	320Mbps	12MP	
	VN2A-32	4 HDD	32 CH	N/A	1/1	16/4	384Mbps	12MP	Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP), LPR, RAID, Fisheye dewarping HDMI1, HDMI2, VGA asynchronous output (HDMI audio output is not supported)
	VN3A-64	16 HDD	64 CH	N/A	1/1	24/8	512Mbps	12MP	Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP), LPR, RAID, Fisheye dewarping HDMI1, HDMI2, VGA asynchronous output (HDMI audio output not supported)
	VN3A-128	16 HDD	128 CH	N/A	1/1	24/8	512Mbps		
	VN4A-4X4	1 HDD	4 CH	4 CH	1/1	N/A	80Mbps	4K	Focus on human & vehicle classification w/ motion detection (UMD), Smart Intrusion Prevention (SIP), HDMI & VGA simultaneous output, AccuSearch, Face/Vehicle/Temperature Detection & Video MetaData (SIP by color retrieval), LPR, Fisheye Dewarping
	VN4A-8X8	2 HDD	8 CH	8 CH	1/1	8/2	320/160 Mbps (Smart Mode On/Off)	4K	Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP), RAID, HDMI and VGA independent output, AccuSearch, Face/Vehicle/Temperature Detection & Video MetaData (SIP by color retrieval), LPR, Fisheye Dewarping
	VN4A-16X16	2 HDD	16 CH	16 CH	1/1	8/2		4K	Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP), RAID, HDMI and VGA independent output, AccuSearch, Face/Vehicle/Temperature Detection & Video MetaData (SIP by color retrieval), LPR, Fisheye Dewarping
	VN4A-32	4 HDD	32 CH	N/A	1/1	16/4		4K	Focus on human and vehicle classification with motion detection (UMD), Smart Intrusion Prevention (SIP), RAID (1, 5), HDMI & VGA independent output, AccuSearch, Face/Vehicle/Temperature Detection & Video MetaData (SIP by color retrieval), LPR, Fisheye Dewarping
	VN4A-32X24	4 HDD	32 CH	24 CH	1/2	16/10	384/200 Mbps (Smart Mode On/Off)	4K	Focus on human & vehicle classification w/ motion detection (UMD), Smart Intrusion Prevention (SIP), RAID (0, 1, 5),HDMI1/VGA1 & HDMI2/VGA2 independent output. AccuSearch, Face/Vehicle/Temperature Detection & Video MetaData (SIP by color retrieval), LPR, Fisheye Dewarping
	VN4A-64X24	4 HDD	64 CH	24 CH	1/2	16/10		4K	

Decoders

	Model #	Max Total CH	Channels Per HDMI
	VIS-HDMI4A*	64	16
	VIS-HDMI7A*	112	16

*Use with VN3A-64 & VN3A128 Only

ABOUT INVID TECH

Innovative Video Technology (InVid Tech) is a leading provider of security equipment designed to Alert, Connect, and Secure. Our advanced IP surveillance solutions feature AI technology, including Human and Vehicle Classification, Facial Recognition, and License Plate Recognition, alongside other intelligent security options. We also offer versatile products such as Locker Access, Turnstiles, and Stand-Alone Solar Surveillance, along with multiple cloud storage solutions. With a dedicated U.S.-based team specializing in Sales, Customer Service, and Tech Support, and a network of nationwide representatives, we ensure expert assistance and tailored support wherever it's needed.